



Montogue

Harmful Algal Blooms and Lake Restoration

References

1. Austin, D., Scharf, R., Chen, C.-F. et al. (2019). Hypolimnetic oxygenation and aeration in two Midwestern USA reservoirs. *Lake Reserv Manag*, 35(3), 266 – 276. DOI: [10.1080/10402381.2019.1599087](https://doi.org/10.1080/10402381.2019.1599087)
2. Björk, S., Pokorný, J. and Hauser, V. (2010). Restoration of lakes through sediment removal, with case studies from lakes Trummen, Sweden and Vajgar, Czech Republic. In: Eiseltová, M. (Ed.) (2010). *Restoration of Lakes, Streams, Floodplains, and Bogs in Europe: Principles and Case Studies*. Berlin/Heidelberg: Springer. ISBN: [9789048192656](https://doi.org/10.1007/9789048192656)
3. Bormans, M., Maršálek, B. and Jančula, D. (2016). Controlling internal phosphorus loading in lakes by physical methods to reduce cyanobacterial blooms: a review. *Aquat Ecol*, 50, 407 – 422. DOI: [10.1007/s10452-015-9564-x](https://doi.org/10.1007/s10452-015-9564-x)
4. Boylan, J.D. and Morris, J.E. (2002). Limited effects of barley straw on algae and zooplankton in a Midwestern pond. *Lake Reserv Manag*, 19(3), 265 – 271. DOI: [10.1080/07438140309354091](https://doi.org/10.1080/07438140309354091)
5. Dolman, A.M., Rücker, J., Pick, F.R. et al. (2012). Cyanobacteria and cyanotoxins: The influence of nitrogen versus phosphorus. *PLoS One*, 7(6), e38757. DOI: [10.1371/journal.pone.0038757](https://doi.org/10.1371/journal.pone.0038757)
6. Downing, J.A., Watson, S.B. and McCauley, E. (2001). Predicting cyanobacteria dominance in lakes. *Can J Fish Aquat Sci*, 58, 1905 – 1908. DOI: [10.1139/cjfas-58-10-1905](https://doi.org/10.1139/cjfas-58-10-1905)
7. Drábková, M., Admiraal, W. and Maršálek, B. (2007). Combined exposure to hydrogen peroxide and light – selective effects on cyanobacteria, green algae, and diatoms. *Environ Sci Technol*, 41(1), 309 – 314. DOI: [10.1021/es060746i](https://doi.org/10.1021/es060746i)
8. Drenner, R.W. and Hambright, R.K.D. (2002). Piscivores, trophic cascades, and lake management. *Sci World J*, 2, 164156. DOI: [10.1100/tsw.2002.138](https://doi.org/10.1100/tsw.2002.138)
9. Everall, N.C. and Lees, D.R. (1997). The identification and significance of chemicals released from decomposing barley straw during reservoir algal control. *Water Res*, 31(3), 614 – 620. DOI: [10.1016/S0043-1354\(96\)00291-6](https://doi.org/10.1016/S0043-1354(96)00291-6)

10. Hao, H., Wu, M., Chen, Y. et al. (2004). Cyanobacterial bloom control by ultrasonic irradiation at 20 kHz and 1.7 MHz. *J Environ Sci Health A Tox Hazard Subst Environ Eng*, A39(6), 1435 – 1446. DOI: [10.1081/ese-120037844](https://doi.org/10.1081/ese-120037844)
11. Iredale, R.S., McDonald, A.T. and Adams, D.G. (2012). A series of experiments aimed at clarifying the mode of action of barley straw in cyanobacterial growth control. *Water Res*, 46(18), 6095 – 6103. DOI: [10.1016/j.watres.2012.08.040](https://doi.org/10.1016/j.watres.2012.08.040)
12. Islami, H.R. and Filizadeh, Y. (2011). Use of barley straw to control nuisance freshwater algae. *J Am Water Works Assoc*, 103(5), 111 – 118. DOI: [10.1002/j.1551-8833.2011.tb11458.x](https://doi.org/10.1002/j.1551-8833.2011.tb11458.x)
13. Jeppesen, E. and Sammalkorpi, I. (2002). Lakes. In: Perrow, M.R. and Davy, A.J. (Eds.) *Handbook of Ecological Restoration – Volume 2: Restoration in Practice*. Cambridge: Cambridge University Press. ISBN: [9780521047753](https://doi.org/9780521047753)
14. Joyce, E.M., Wu, X. and Mason, T.J. (2010). Effect of ultrasonic frequency and power on algae suspensions. *J Environ Sci Health A Tox Hazard Subst Environ Eng*, 45(7), 863 – 866. DOI: [10.1080/10934521003709065](https://doi.org/10.1080/10934521003709065)
15. Kleeberg, A. and Kohl, J.-G. (1999). Assessment of the long-term effectiveness of sediment dredging to reduce benthic phosphorus release in shallow Lake Müggelsee (Germany). *Hydrobiologia*, 394, 153 – 161. DOI: [10.1023/A:1003680425229](https://doi.org/10.1023/A:1003680425229)
16. Kosten, S., Huszar, V.L.M., Bécares, E. et al. (2012). Warmer climates boost cyanobacterial dominance in shallow lakes. *Glob Chang Biol*, 18, 118 – 126. DOI: [10.1111/j.1365-2486.2011.02488.x](https://doi.org/10.1111/j.1365-2486.2011.02488.x)
17. Li, Y., Wang, L., Yan, Z. et al. (2020). Effectiveness of dredging on internal phosphorus loading in a typical aquacultural lake. *Sci Total Environ*, 744, 140883. DOI: [10.1016/j.scitotenv.2020.140883](https://doi.org/10.1016/j.scitotenv.2020.140883)
18. Liboriussen, L., Søndergaard, M., Jeppesen, E. et al. (2009). Effects of hypolimnetic oxygenation on water quality: results from five Danish lakes. *Hydrobiologia*, 625, 157 – 172. DOI: [10.1007/s10750-009-9705-0](https://doi.org/10.1007/s10750-009-9705-0)
19. Liu, C., Zhong, J., Wang, J. et al. (2016). Fifteen-year study of environmental dredging effect on variation of nitrogen and phosphorus exchange across the sediment-water interface of an urban lake. *Environ Pollut*, 219, 639 – 648. DOI: [10.1016/j.envpol.2016.06.040](https://doi.org/10.1016/j.envpol.2016.06.040)
20. Liu, M., Shi, X., Chen, C. et al. (2017). Responses of *Microcystis* colonies of different sizes to hydrogen peroxide stress. *Toxins*, 9, 306. DOI: [10.3390/toxins9100306](https://doi.org/10.3390/toxins9100306)
21. Lusty, M.W. and Gobler, C.J. (2020). The efficacy of hydrogen peroxide in mitigating cyanobacterial blooms and altering microbial communities across four lakes in NY, USA. *Toxins*, 12, 428. DOI: [10.3390/toxins12070428](https://doi.org/10.3390/toxins12070428)
22. Martin, D. and Ridge, I. (1999). The relative sensitivity of algae to decomposing barley straw. *J Appl Phycol*, 11, 285 – 291. DOI: [10.1023/A:1008197418074](https://doi.org/10.1023/A:1008197418074)

23. Matthijs, H.C.P., Jančula, D. and Visser, P.M. (2016). Existing and emerging cyanocidal compounds: new perspectives for cyanobacterial bloom mitigation. *Aquat ecol*, 50, 443 – 460. DOI: [10.1007/s10452-016-9577-0](https://doi.org/10.1007/s10452-016-9577-0)
24. McKnight, D.M., Chisholm, S.W. and Harleman, D.R.F. (1983). CuSO₄ treatment of nuisance algal blooms in drinking water reservoirs. *J Environ Manage*, 7, 311 – 320. DOI: [10.1007/BF01866913](https://doi.org/10.1007/BF01866913)
25. Moore, B.C., Cross, B.K., Beutel, M. et al. (2012). Newman Lake restoration: A case study – Part III. Hypolimnetic oxygenation. *Lake Reserv Manag*, 28(4), 311 – 327. DOI: [10.1080/07438141.2012.738463](https://doi.org/10.1080/07438141.2012.738463)
26. Murray, D., Parsons, S.A., Jarvis, P. et al. (2010). The impact of barley straw conditioning on the inhibition of *Scenedesmus* using chemostats. *Water Res*, 44(5), 1373 – 1380. DOI: [10.1016/j.watres.2009.11.014](https://doi.org/10.1016/j.watres.2009.11.014)
27. Olin, M., Rask, M., Ruuhijärvi, J. et al. (2006). Effects of biomanipulation on fish and plankton communities in ten eutrophic lakes of southern Finland. *Hydrobiologia*, 553, 67 – 88. DOI: [10.1007/s10750-005-0786-0](https://doi.org/10.1007/s10750-005-0786-0)
28. Park, J., Son, Y. and Lee, W.H. (2019). Variation of efficiencies and limits of ultrasonication for practical algal bloom control in fields. *Ultrason Sonochem*, 55, 8 – 17. DOI: [10.1016/j.ultsonch.2019.03.007](https://doi.org/10.1016/j.ultsonch.2019.03.007)
29. Pillinger, J.M., Cooper, J.A. and Ridge, I. (1994). Role of phenolic compounds in the antialgal activity of barley straw. *J Chem Ecol*, 20, 1557 – 1569. DOI: [10.1007/BF02059880](https://doi.org/10.1007/BF02059880)
30. Prosecka, J., Orlov, A.V., Fantin, Y.S. et al. (2009). A novel ATP-binding cassette transporter is responsible for resistance to viologen herbicides in the cyanobacterium *Synechocystis* sp. PCC 6803. *FEBS J*, 276(15), 4001 – 4011. DOI: [10.1111/j.1742-4658.2009.07109.x](https://doi.org/10.1111/j.1742-4658.2009.07109.x)
31. Rajasekhar, P., Fan, L., Nguyen, T. et al. (2012). A review of the use of sonication to control cyanobacterial blooms. *Water Res*, 46(14), 4319 – 4329. DOI: [10.1016/j.watres.2012.05.054](https://doi.org/10.1016/j.watres.2012.05.054)
32. Reddy, K.R., Fisher, M.M., Wang, Y. et al. (2007). Potential effects of sediment dredging on internal phosphorus loading in a shallow, subtropical lake. *Lake Reserv Manag*, 23(1), 27 – 38. DOI: [10.1080/07438140709353907](https://doi.org/10.1080/07438140709353907)
33. Schäuser, I. and Chorus, I. (2007). Assessment of internal and external lake restoration measures for two Berlin lakes. *Lake Reserv Manag*, 23(4), 366 – 376. DOI: [10.1080/07438140709354024](https://doi.org/10.1080/07438140709354024)
34. Sebetich, M.J. and Ferriero, N. (1997). Lake restoration by sediment dredging. *Internationale Vereinigung für theoretische und angewandte Limnologie: Verhandlungen*, 26(2), 776 – 781. DOI: [10.1080/03680770.1995.11900822](https://doi.org/10.1080/03680770.1995.11900822)
35. Smith, V.H. (1983). Low nitrogen to phosphorus ratios favor dominance by blue-green algae in lake phytoplankton. *Science*, 221(4611), 669 – 671. DOI: [10.1126/science.221.4611.669](https://doi.org/10.1126/science.221.4611.669)
36. Søndergaard, M., Jensen, J.P. and Jeppesen, E. (2003). Role of sediment and internal loading of phosphorus in shallow lakes. *Hydrobiologia*, 506, 135 – 145. DOI: [10.1023/B:HYDR.0000008611.12704.dd](https://doi.org/10.1023/B:HYDR.0000008611.12704.dd)

37. Søndergaard, M., Lauridsen, T.L., Johansson, L.S. et al. (2017). Repeated fish removal to restore lakes: Case study of Lake Væng, Denmark – Two biomanipulations during 30 years of monitoring. *Water*, 9, 43. DOI: [10.3390/w9010043](https://doi.org/10.3390/w9010043)
38. Søndergaard, M., Liboriussen, L., Pedersen, A.R. et al. (2008). Lake restoration by fish removal: Short- and long-term effects in 36 Danish lakes. *Ecosystems*, 11, 1291 – 1305. DOI: [10.1007/s10021-008-9193-5](https://doi.org/10.1007/s10021-008-9193-5)
39. Taranu, Z.E., Gregory-Eaves, I., Leavitt, P.R. et al. (2015). Acceleration of cyanobacterial dominance in north temperate-subarctic lakes during the Anthropocene. *Ecol Lett*, 18(4), 375 – 384. DOI: [10.1111/ele.12420](https://doi.org/10.1111/ele.12420)
40. Toffolon, M., Ragazzi, M., Righetti, M. et al. (2013). Effects of artificial hypolimnetic oxygenation in a shallow lake. Part 1: Phenomenological description and management. *J Environ Manage*, 114, 520 – 529. DOI: [10.1016/j.jenvman.2012.10.062](https://doi.org/10.1016/j.jenvman.2012.10.062)
41. Triest, L., Stiers, I. and van Onsem, S. (2016). Biomanipulation as a nature-based solution to reduce cyanobacterial blooms. *Aquat Ecol*, 50, 461 – 483. DOI: [10.1007/s10452-015-9548-x](https://doi.org/10.1007/s10452-015-9548-x)
42. Trimbee, A.M. and Prepas, E.E. (1987). Evaluation of total phosphorus as a predictor of the relative biomass of blue-green algae with emphasis on Alberta lakes. *Can J Fish Aquat Sci*, 44(7), 1337 – 1342. DOI: [10.1139/f87-158](https://doi.org/10.1139/f87-158)
43. Van Hullebusch, E., Deluchat, V., Chazal, P.M. et al. (2002). Environmental impact of two successive chemical treatments in a small shallow eutrophied lake: Part II. Case of copper sulfate. *Environ Pollut*, 120(3), 627 – 634. DOI: [10.1016/S0269-7491\(02\)00191-4](https://doi.org/10.1016/S0269-7491(02)00191-4)
44. Wagner, C. and Adrian, R. (2009). Cyanobacteria dominance: Quantifying the effects of climate change. *Limnol Oceanogr*, 54(6, pt.2), 2460 – 2468. DOI: [10.4319/lo.2009.54.6_part_2.2460](https://doi.org/10.4319/lo.2009.54.6_part_2.2460)
45. Waybright, T.J., Terlizzi, D.E. and Ferrier, M.D. (2009). Chemical characterization of the aqueous algistatic fraction of barley straw (*Hordeum vulgare*) inhibiting *Microcystis aeruginosa*. *J Appl Phycol*, 21, 333 – 340. DOI: [10.1007/s10811-008-9373-x](https://doi.org/10.1007/s10811-008-9373-x)
46. Weenink, E.F.J., Luimstra, V.M., Schuurmans, J.M. et al. (2015). Combatting cyanobacteria with hydrogen peroxide: a laboratory study on the consequences for phytoplankton community and diversity. *Front Microbiol*, 6(714). DOI: [10.3389/fmicb.2015.00714](https://doi.org/10.3389/fmicb.2015.00714)
47. Zhang, G., Zhang, P., Liu, H. et al. (2006). Ultrasonic damages on cyanobacterial photosynthesis. *Ultrason Sonochem*, 13(6), 501 – 505. DOI: [10.1016/j.ultsonch.2005.11.001](https://doi.org/10.1016/j.ultsonch.2005.11.001)
48. Zhong, J.C., You, B.S., Fan, C.X. et al. (2007). Influence of sediment dredging on chemical forms and release of phosphorus. *Pedosphere*, 18(1), 34 – 44. DOI: [10.1016/S1002-0160\(07\)60100-3](https://doi.org/10.1016/S1002-0160(07)60100-3)

Referencing this Blog Post

You can reference the text as (1) a blog post or (2) a website, as follows.

Harvard:

1. Nogueira, L.M. (2022). Harmful algal blooms and lake restoration. [Blog]. *Montogue Blog*. Available at: <https://montoguequiz.com/civil/algal-blooms-lake-restoration/>
2. Nogueira, L.M. (2022). *Harmful Algal Blooms and Lake Restoration*. Montogue Quiz. Available at: <https://montoguequiz.com/civil/algal-blooms-lake-restoration/>

APA:

1. Nogueira, L.M. (2022, March 31). Harmful algal blooms and lake restoration. [Blog post]. Retrieved from <https://montoguequiz.com/civil/algal-blooms-lake-restoration/>
2. Nogueira, L.M. (2022, March 31). Harmful algal blooms and lake restoration. *Montogue Quiz*. Retrieved from <https://montoguequiz.com/civil/algal-blooms-lake-restoration/>

MLA:

1. Nogueira, L.M. "Harmful algal blooms and lake restoration". *Montogue Blog*, 31 Mar. 2022, <https://montoguequiz.com/civil/algal-blooms-lake-restoration/>
2. Nogueira, L.M. "Harmful algal blooms and lake restoration". *Montogue Quiz*, 31 Mar. 2022, <https://montoguequiz.com/civil/algal-blooms-lake-restoration/>